

SECCIONADORES TRIPOLARES FUSIBLE NH




Industria e Comercio Ltda



SCM Chile Limitada

Representaciones - Venta de Equipos Industriales.
Fernando Yungue 1164. Fono Oficina +56 9 3944 2099
Estación Central – Santiago
www.scmchile.cl / ventas@scmchile.cl

Tipo PHS Chaves Seccionadoras Verticais de 160 a 630A, 800V, para Fusivel NH-1,2 e 3




LIMITOR



Fuiveis NH de baixa perda para Chave Vertical de 1000V

-alta cap.de ruptura - baixa perda - limitador de corrente - terminais prateado - baixa voltagem de arco.



Dimensões

Nr	Tamanho Size	Corrente Current	a1	a2	a3	b	c1	d	e1	e2	e4
5323	00	160	80	49	46	15	35	2	48	28	6
5325	1	250	135	72	62	20	40	2.5	53	45	6
5326	2	400	150	72	62	25	48	2.5	61	60	6
5327	3	630	150	72	62	35	60	2.5	76	72	6

As curvas características Tempo x Corrente apresentadas estão de acordo com o estabelecido na NBR IEC 60269 - 2 - 1, VDE 0636/21. para Fusíveis categoria - gG/gL

Tempo / Corrente para fusivel NH de 80 a 630A, 1000V,

